



MIKE MOSBY



A.F.
Crow & Son
FUNERAL HOME, Inc.

*Let Mike
and our
experienced
staff help
you in your
time of need*



201 E. Washington Street
Glasgow, KY 42141
(270) 651-2080

**LOCALLY OPERATED AND SERVING GLASGOW
AND SURROUNDING AREAS FOR 95 YEARS**
www.afcrowfh.com



2908 Dolphin Dr., Elizabethtown, KY • 270.600.0090

Purchase tickets online at crownpointtheatre.com



Code: Barren

COUPON EXPIRES AUGUST 31, 2025

PUBLIC HEARING

Tuesday, July 15, 2025

5:00 PM

**Barren County Fiscal Court
Meeting Room**

IS THIS WHAT WE WANT FOR BARREN COUNTY?

Canadian Solar
Installation Guide
April 2023



"The copper ribbons used in our solar modules to interconnect solar cells use a thin solder coating layer that contains **lead** (CAS no. 7439-92-1)

Under normal or reasonably foreseeable conditions of use, **exposure to the lead** that is contained in our solar modules can be excluded. However, a **release of**, and **exposure to lead** can take place (i) when the different components of the solar modules are disassembled, in particular for recycling purposes, and (ii) in instances of fire. **Lead may damage fertility of the unborn child, causes damage to organs through prolonged or repeated exposure, is very toxic to aquatic life with long lasting effects, may cause cancer, is very toxic to aquatic life, and may cause harm to breast-fed children.**"

Page 4



What chemicals are sealed in a panel?

Silicon, Ethylene Vinyl Acetate, cadmium, silver, lead, gallium, phosphorus, copper, and cadmium telluride. The risk of chemical exposure occurs when the panel is damaged due to a malfunction, a crack, hail or lightning damage, tornado damage, gun fire damage, fire, etc.

Stop the Wood Duck Solar Project!

*Save Our Babies. Save Our Farm Land. Save Our Animals.
Save Mammoth Cave. Save Our Food Supply.*